







Deck Fittings





22

PW 1	Eyebolt 1/2" 3mm	0.95
PW 1h	Eyebolt 1" 3mm	0.95
PW1c	Eyebolt 1" 3.5mm	0.95
PW 1d	Eyebolt 20mm 2.5mm	0.95
PW 1e	Eyebolt 1" 4ba aluminium black anodised, 1/2 weight of chromed partner.	1.30
PW 1f	Eyebolt 1/4" 3.5mm & nut for jib slide	0.95
PW 1g	Eyebolt 2" 2ba	1.60
PW 2	Deck Plate chromed brass	2.50
PW 3	Keel Bolt 3mm brass insert with tufnol block and s/s bolt.	2.80
PW 3b	Ballast Bolt, brass sleeve nut for securing a detachable lead to a fin.	2.30
PW 4	Jib Rack Chromed Brass.	3.50
PW 5	Jib Slide 3" black anodised. Includes 1 Insert PW 5e. Normally supplied with ThumbWheel.	5.25
PW 5b	Jib Slide 5" black anodised. Includes 1 Insert PW 5e. Normally supplied with Thumb Wheel.	5.25
PW 5c	Jib/Mast Slide 16" black anodised, Order Inserts separately.	6.00
PW 5d	Insert to accept Mast Mounting plug in slide (plug is part PW24c)	2.30
PW 5e	Insert for Jib/Mast Slide, eye glues across or in line. Supplied with thumbwheel	3.40
PW 5f	As Above, Supplied with Screw & Washer to prevent line from snagging wheel	2.80
PW 6	Mast Ram 4ba fits Jib/Mast Slide	2.55
Pw 6b	Mast ram 4ba curved head to fit mast, with large thumbwheel	3.30
PW 6c	As PW 6b with plug for Bulkhead	3.85
PW 9	Mast Jack 5/8", 1/2" Black alum.	3.70
PW 11	Rudder Arm 1/8" plated brass	4.20
PW 11b	Rudder Arm 5/32" single	4.20
PW 11c	Rudder Arm 3/16" single	4.20
PW 11d	Rudder Arm 1/8" double	4.40
PW 11e	Rudder Arm 5/32 double	4.40
PW 11f	Rudder Arm 3/16 double	4.40
PW12	Single arm black plastic with metal insert 2mm, 3mm, 4mm	2.05
PW 12b	Detachable rudder fitting/arm, this is attached loosely to the rudder tube and allows the rudder to be removed for transport, no access to hull is necessary. Special Shaft is supplied for 5/32" or 3/16".	16.55
Shaft only		4.00





Deck Fittings

PW 12c Rudder shaft 6" s/s rod 1/8"	0.85
Rudder shaft 6" s/s rod 5/32"	0.90
Rudder shaft 6" s/s rod 3/16"	1.10
PW 12d Rudder tube 4" brass 1/8"	1.05
Rudder tube 4" brass 5/32"	1.20
Rudder tube 4" brass 3/16"	1.20
PW 12e 6" of 4mm Carbon Fibre rudder shaft and 3" of 8mm Carbon Fibre tube with PTFE bearings.	6.50
PW 12f 6" of 6mm Carbon Fibre ruddershaft and 3.5" of 8mm Carbon Fibre tube	3.40
PW 12g 6" of 6mm Carbon Fibre rudder shaft and 3.5" of 10mm CarbonFibre tube with PTFE bearings	7.30
PW 19 Sheeting Tube in plate	3.50
PW 19b Sheeting Reverser in plate	3.50
PW 20 Sheeting Tube (must be glued in deck)	0.90
PW 25 Mast Step alum. slotted	2.90
PW 25b Mast Step alum. 5mm holes	2.90
PW 26 Mast slot Plate alum. (to suit 7/16", 1/2", 5/8" .	3.00
PW 39 Radio Pot (67mm dia)	1.25
PW 39c Radio Pot (67mm diax 50mm)	1.05
PW 44B Concealed ball raced Jib Swivel fitting includes 3" slide and fits 10mm boom. For use on 6m's and "A" where jib height is important. Alloy joining tube (which is now angled) for boom with ball races fitted inside it attaches to a track insert included.	29.00
PW 44d BallRaced jib boom Swivel for 8mm, 10mm	11.50
PW 45 6" Swing Rig Tube 3/4"odx20sw unanodised aluminium.	2.05
PW 45b 6" Oval Tube (for 1 metres) 1/2" by 3/4" mt. unanodised	2.55
PW 45c 10" Oval Tube (NJ Class)	4.20
PW 48 Sheeting Nipples 8mm, 5/16", 3/8", 10mm, 7/16" tubes o/d	1.15
PW 48 Sheeting nipple Micromagic	1.15



see mouldings for pot recess page 13



pw 44B

PW44D

pw 39




pw 48

pw45 pw46

pw 45b

Deck Fittings

- PW 49** Main Sheet Post (telescopic)
Adjustable height, aluminium tubes 4.30
- PW 49b** As PW 49 but supplied with Glass
Outer tube 6.30
- Glass Outer tube only 3.15
- PW 50** Mast Rake Control (thumb wheel
adjustment) for 7/16", 1/2", 14mm masts 9.60
- PW 53** Radial Jib Fitting For use on 'A',
6m's and 10r's. Supplied with ball races
can be mounted on twin slides or just using a
three point fixing. With adjustable luff angle,
luff attaches to shaft. To fit 10mm or rectangular
c/f boom. (Deck must be very rigid) 86.50
- PW 53b** Attachment for Counter Balance to
Radial jib fitting. 4.40
- PW 53c** Mobile Slides to take Radial Jib
fitting. Supplied with 2 Deck Rails and
mounts for compression strut 26.50
- PW 60** Ball Joint 3mm each 1.85
- PW 60b** 0.3m Push rod tube with 2 ball joints 5.50
- PW 61** Silicone Bung,small end 3mm 0.37
- PW 62** Turned Acetal Fairlead Ring 1.60
- PW 78** s/s Tension Spring 38mm long 2.10
- PW 79** Through deck Fairlead 4.00
- PW 80** Through deck Fairlead to take
Pulley below deck 14.50
- PW 81** Through deck fairlead ,to take
Below deck, pulley not included 8.00
- PW 200** Shackles 5mm stainless steel 1.20



pw 53b



pw 62



pw200



PW78




PW80



PW81



PW79





PW 49




pw61

Deck Fittings

- PW 202** Ball Raced Through Deck Pulley
Block Water Resistant. 9.50
- PW 203** Ball Raced Single Pulley Block
For deck mounting 6.85
- PW 204** Ball Raced Single Pulley Block
With shackle 6.85
- PW 205** Ball Raced Servo Arm Pulley 6.85
- PW 207** Ball raced short pulley block
With shackle 6.85
- PW 223** ball raced double block
For deck mounting. 10.00
- PW 224** Ball raced double block
With shackle 10.00
- PW 227** Ball raced short double block
With shackle 10.00



PW223



- PW 8j** Detachable turnbuckle (complete)
With s/steel 3mm deck bolt
Turnbuckle has 20mm adjustment
And is held in place with sleeve



£6.85

- PW 8f** Body and Eyebolt (only)

£4.75

- PW 8g** Deck eye only (15mm of thread)

£2.20

